

# JO



This pattern is made using Knitware software: the individual sizes are each on a following page, but the information common to all sizes is in the box below

**Flat (Bottom-Up) Hip length Straight Pullover with Folded Band/Set-in Classic shoulder with Full Length Moderate Taper sleeves with Folded Band/Scoop front neck and Flat back neck with Cowl collar**

**YARN DESCRIPTION:**

[Yeoman VOLGA50/50; Wool/Acrylic](#); click on link to website for information

**GAUGE DATA:**

Gauge (Stocking stitch over 4 in = 10 cm): 32.0 sts by 48.0 rows. Tension 3 on standard gauge.

**FINISHING:**

1. Sew sleeve top to armhole, easing to fit. Sew side and sleeve seams. Sew right shoulder and armhole seams.
2. Use invisible seam to sew the cowl collar seam. For the first 1.5 - 2 in (until the collar starts to roll out), join so that the bulk of the seam is on the inside, then join the remainder with the seam on the reverse side.
3. Darn/weave/sew in all loose ends.

I found the Volga yarn really easy to knit with, and most sizes would knit from one cone [350gr] of the yarn, I think. My size 36 took 250g.

The larger sizes may need adapting, as they need more needles than are on a standard gauge machine bed:

- Knitting on a fine gauge machine would work, adjusting the tension dial to meet the tension
- Or knitting the back and front each in two sections and joining the centre – you could dress this up with a cable or equivalent.

I knitted the cowl neck in two sections front and back, then seamed the sides. I found this easier.

I also joined the shoulder seams on the machine, using holding position to do the shaping, then taking off the stitches on waste yarn, before putting both front and back on the needles together and casting off.

Sizes [chest measurement in inches]

<a href="#">30</a>	<a href="#">32</a>	<a href="#">34</a>	<a href="#">36</a>	<a href="#">38</a>	<a href="#">40</a>	<a href="#">42</a>	<a href="#">44</a>	<a href="#">46</a>	<a href="#">48</a>	<a href="#">50</a>	<a href="#">52</a>	<a href="#">54</a>	<a href="#">56</a>
--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

**Actual garment measurements are on the individual pattern pages.**

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 35.2	Armhole: 15.1	Top Neck Opening: 7.7	Front Neck Width: 2.6	Front Neck Depth: 4.8
Hem Width: 35.2	Sleeve Bottom: 7.4	Sleeve Top: 11.7		
Back Width: 12.9	Sleeve Length: 16.3			
Body Length: 25.9	Hem Length: 1.8	Collar Length: 11.3		
Hem Length: 2.3				

NOTE: At most, 142 needles are required to make the body of this garment; but the collar/hood needs 178 needles.

**BACK:**

1. Cast on 142 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 200 rows. COR.
3. Armhole shaping. Cast off 7 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 22 rows. Total 224 rows with 106 sts remaining.
4. Work a further 68 rows even. COR. Total 292 rows.
5. Shoulder shaping. Cast off 7 sts at beginning of next 4 rows. Cast off 8 sts at beginning of following 2 rows. COR.
6. Total 298 rows with 62 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 240 rows total, with 106 sts remaining.
4. Shape neck. COR. Thread center 20 sts to WY. 43 sts each side.
5. Right neck. LH needles in HP. Dec 1 st at neck edge every row 10 times, then dec 1 st at neck edge every other row 11 times, until 22 sts remain. Then work 20 row(s) even. Total 292 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 62 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 26 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 9th row 5 times, then every 10th row 12 times to 96 sts (165 rows total).
4. Work even to total 174 rows. COR.
5. Shape cap. Cast off 7 sts at beg of next two rows (82 sts rem). Dec 1 st at each end of every 2nd row 8 times, then dec 1 st at each end of every 3rd row 10 times, then dec 1 st at each end of every 2nd row 8 times. Total 238 rows. COR. Cast off remaining 30 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 178 needles to HP.
2. With RIGHT side of work facing, rehang 62 sts from back neck holder, 48 sts from left front neck edge, 20 sts from front neck holder and 48 sts from right front neck edge. COR with TD3.
3. Work 136 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest:	36.7	Armhole:	15.5	Top Neck Opening:	7.9
				Front Neck Width:	2.6
		Sleeve Top:	12.1	Front Neck Depth:	5.0
Hem Width:	36.7	Sleeve Bottom:	7.7		
Back Width:	13.1	Sleeve Length:	16.5		
Body Length:	26.3	Hem Length:	1.8	Collar Length:	11.3
Hem Length:	2.3				

NOTE: At most, 148 needles are required to make the body of this garment; but the collar/hood needs 186 needles.

**BACK:**

1. Cast on 148 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 202 rows. COR.
3. Armhole shaping. Cast off 7 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 28 rows. Total 232 rows with 106 sts remaining.
4. Work a further 64 rows even. COR. Total 296 rows.
5. Shoulder shaping. Cast off 7 sts at beginning of next 6 rows. COR.
6. Total 302 rows with 64 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 242 rows total, with 106 sts remaining.
4. Shape neck. COR. Thread center 20 sts to WY. 43 sts each side.
5. Right neck. LH needles in HP. Dec 1 st at neck edge every row 11 times, then dec 1 st at neck edge every other row 11 times, until 21 sts remain. Then work 21 row(s) even. Total 296 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 64 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 26 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 9th row once, then every 10th row 16 times to 98 sts (169 rows total).
4. Work even to total 178 rows. COR.
5. Shape cap. Cast off 7 sts at beg of next two rows (84 sts rem). Dec 1 st at each end of every 2nd row 7 times, then dec 1 st at each end of every 3rd row 12 times, then dec 1 st at each end of every 2nd row 7 times. Total 244 rows. COR. Cast off remaining 32 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 186 needles to HP.
2. With RIGHT side of work facing, rehang 64 sts from back neck holder, 51 sts from left front neck edge, 20 sts from front neck holder and 51 sts from right front neck edge. COR with TD3.
3. Work 136 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 38.3	Armhole: 15.8	Top Neck Opening: 8.2
		Front Neck Width: 2.7
	Sleeve Top: 12.6	Front Neck Depth: 5.0
Hem Width: 38.3	Sleeve Bottom: 7.9	
Back Width: 13.6	Sleeve Length: 16.6	
Body Length: 26.7	Hem Length: 1.8	Collar Length: 11.3
Hem Length: 2.3		

NOTE: At most, 156 needles are required to make the body of this garment; but the collar/hood needs 190 needles.

**BACK:**

1. Cast on 156 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 206 rows. COR.
3. Armhole shaping. Cast off 8 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 30 rows. Total 238 rows with 110 sts remaining.
4. Work a further 64 rows even. COR. Total 302 rows.
5. Shoulder shaping. Cast off 7 sts at beginning of next 4 rows. Cast off 8 sts at beginning of following 2 rows. COR.
6. Total 308 rows with 66 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 248 rows total, with 110 sts remaining.
4. Shape neck. COR. Thread center 22 sts to WY. 44 sts each side.
5. Right neck. LH needles in HP. Dec 1 st at neck edge every row 11 times, then dec 1 st at neck edge every other row 11 times, until 22 sts remain. Then work 21 row(s) even. Total 302 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 66 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 26 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 9th row 11 times, then every 10th row 7 times to 102 sts (169 rows total).
4. Work even to total 178 rows. COR.
5. Shape cap. Cast off 8 sts at beg of next two rows (86 sts rem). Dec 1 st at each end of every 2nd row 9 times, then dec 1 st at each end of every 3rd row 10 times, then dec 1 st at each end of every 2nd row 8 times. Total 244 rows. COR. Cast off remaining 32 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 190 needles to HP.
2. With RIGHT side of work facing, rehang 66 sts from back neck holder, 51 sts from left front neck edge, 22 sts from front neck holder and 51 sts from right front neck edge. COR with TD3.
3. Work 136 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 40.4	Armhole: 16.2	Top Neck Opening: 8.5
		Front Neck Width: 2.8
	Sleeve Top: 13.1	Front Neck Depth: 5.2
Hem Width: 40.4	Sleeve Bottom: 8.1	
Back Width: 14.1	Sleeve Length: 16.8	
Body Length: 27.4	Hem Length: 1.8	Collar Length: 11.3
Hem Length: 2.3		

NOTE: At most, 164 needles are required to make the body of this garment; but the collar/hood needs 194 needles.

**BACK:**

1. Cast on 164 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 212 rows. COR.
3. Armhole shaping. Cast off 8 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 34 rows. Total 248 rows with 114 sts remaining.
4. Work a further 62 rows even. COR. Total 310 rows.
5. Shoulder shaping. Cast off 7 sts at beginning of next 2 rows. Cast off 8 sts at beginning of following 4 rows. COR.
6. Total 316 rows with 68 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 252 rows total, with 114 sts remaining.
4. Shape neck. COR. Thread center 22 sts to WY. 46 sts each side.
5. Right neck. LH needles in HP. Dec 1 st at neck edge every row 11 times, then dec 1 st at neck edge every other row 12 times, until 23 sts remain. Then work 23 row(s) even. Total 310 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 66 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 26 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 8th row 8 times, then every 9th row 12 times to 106 sts (172 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 8 sts at beg of next two rows (90 sts rem). Dec 1 st at each end of every 2nd row 11 times, then dec 1 st at each end of every 3rd row 8 times, then dec 1 st at each end of every 2nd row 10 times. Total 248 rows. COR. Cast off remaining 32 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 194 needles to HP.
2. With RIGHT side of work facing, rehang 68 sts from back neck holder, 52 sts from left front neck edge, 22 sts from front neck holder and 52 sts from right front neck edge. COR with TD3.
3. Work 136 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest:	42.5	Armhole:	16.8	Top Neck Opening:	8.6
				Front Neck Width:	2.9
		Sleeve Top:	13.8	Front Neck Depth:	5.3
Hem Width:	42.5	Sleeve Bottom:	8.3		
Back Width:	14.4	Sleeve Length:	17.0		
Body Length:	28.1	Hem Length:	2.0	Collar Length:	12.4
Hem Length:	2.5				

NOTE: At most, 172 needles are required to make the body of this garment; but the collar/hood needs 198 needles.

**BACK:**

1. Cast on 172 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 36 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 216 rows. COR.
3. Armhole shaping. Cast off 9 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 36 rows. Total 254 rows with 118 sts remaining.
4. Work a further 64 rows even. COR. Total 318 rows.
5. Shoulder shaping. Cast off 8 sts at beginning of next 4 rows. Cast off 9 sts at beginning of following 2 rows. COR.
6. Total 324 rows with 68 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 260 rows total, with 118 sts remaining.
4. Shape neck. COR. Thread center 24 sts to WY. 47 sts each side.
5. Right neck. LH needles in HP. Dec 1 st at neck edge every row 11 times, then dec 1 st at neck edge every other row 11 times, until 25 sts remain. Then work 25 row(s) even. Total 318 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 68 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 30 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 7th row 3 times, then every 8th row 19 times to 112 sts (173 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 9 sts at beg of next two rows (94 sts rem). Dec 1 st at each end of every 2nd row 11 times, then dec 1 st at each end of every 3rd row 8 times, then dec 1 st at each end of every 2nd row 11 times. Total 250 rows. COR. Cast off remaining 34 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 198 needles to HP.
2. With RIGHT side of work facing, rehang 68 sts from back neck holder, 53 sts from left front neck edge, 24 sts from front neck holder and 53 sts from right front neck edge. COR with TD3.
3. Work 150 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 49.9	Armhole: 18.3	Top Neck Opening: 9.9
		Front Neck Width: 3.3
	Sleeve Top: 15.5	Front Neck Depth: 5.8
Hem Width: 49.9	Sleeve Bottom: 9.1	
Back Width: 16.5	Sleeve Length: 17.2	
Body Length: 29.3	Hem Length: 2.3	Collar Length: 13.5
Hem Length: 2.7		

NOTE: At most, 202 needles are required to make the body of this garment; but the collar/hood needs 224 needles.

**BACK:**

1. Cast on 202 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 40 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 220 rows. COR.
3. Armhole shaping. Cast off 11 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 46 rows. Total 268 rows with 134 sts remaining.
4. Work a further 62 rows even. COR. Total 330 rows.
5. Shoulder shaping. Cast off 9 sts at beginning of next 6 rows. COR.
6. Total 336 rows with 80 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 266 rows total, with 134 sts remaining.
4. Shape neck. COR. Thread center 26 sts to WY. 54 sts each side.
5. Right neck. LH needles in HP. Continue armhole shaping until 48 rows worked from beginning of armhole. AT THE SAME TIME, Dec 1 st at neck edge every row 13 times, then dec 1 st at neck edge every other row 14 times, until 27 sts remain. Then work 23 row(s) even. Total 330 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 74 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 6th row 8 times, then every 7th row 18 times to 126 sts (174 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 11 sts at beg of next two rows (104 sts rem). Dec 1 st at each end of every 2nd row 14 times, then dec 1 st at each end of every 3rd row 6 times, then dec 1 st at each end of every 2nd row 14 times. Total 256 rows. COR. Cast off remaining 36 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 224 needles to HP.
2. With RIGHT side of work facing, rehang 80 sts from back neck holder, 59 sts from left front neck edge, 26 sts from front neck holder and 59 sts from right front neck edge. COR with TD3.
3. Work 162 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 45.7	Armhole: 17.8	Top Neck Opening: 9.2
		Front Neck Width: 3.1
	Sleeve Top: 14.7	Front Neck Depth: 5.6
Hem Width: 45.7	Sleeve Bottom: 8.7	
Back Width: 15.4	Sleeve Length: 17.0	
Body Length: 28.7	Hem Length: 2.0	Collar Length: 12.4
Hem Length: 2.5		

NOTE: At most, 184 needles are required to make the body of this garment; but the collar/hood needs 210 needles.

**BACK:**

1. Cast on 184 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 36 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 216 rows. COR.
3. Armhole shaping. Cast off 10 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 38 rows. Total 256 rows with 126 sts remaining.
4. Work a further 68 rows even. COR. Total 324 rows.
5. Shoulder shaping. Cast off 8 sts at beginning of next 2 rows. Cast off 9 sts at beginning of following 4 rows. COR.
6. Total 330 rows with 74 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 262 rows total, with 126 sts remaining.
4. Shape neck. COR. Thread center 24 sts to WY. 51 sts each side.
5. Right neck. LH needles in HP. Dec 1 st at neck edge every row 12 times, then dec 1 st at neck edge every other row 13 times, until 26 sts remain. Then work 24 row(s) even. Total 324 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 72 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 30 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 7th row 19 times, then every 8th row 5 times to 120 sts (173 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 10 sts at beg of next two rows (100 sts rem). Dec 1 st at each end of every 2nd row 12 times, then dec 1 st at each end of every 3rd row 8 times, then dec 1 st at each end of every 2nd row 12 times. Total 254 rows. COR. Cast off remaining 36 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 210 needles to HP.
2. With RIGHT side of work facing, rehang 74 sts from back neck holder, 56 sts from left front neck edge, 24 sts from front neck holder and 56 sts from right front neck edge. COR with TD3.
3. Work 150 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 47.8	Armhole: 18.0	Top Neck Opening: 9.6
		Front Neck Width: 3.2
	Sleeve Top: 15.1	Front Neck Depth: 5.7
Hem Width: 47.8	Sleeve Bottom: 8.9	
Back Width: 16.0	Sleeve Length: 17.0	
Body Length: 29.1	Hem Length: 2.0	Collar Length: 12.4
Hem Length: 2.5		

NOTE: At most, 194 needles are required to make the body of this garment; but the collar/hood needs 216 needles.

**BACK:**

1. Cast on 194 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 36 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 222 rows. COR.
3. Armhole shaping. Cast off 10 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 44 rows. Total 268 rows with 130 sts remaining.
4. Work a further 62 rows even. COR. Total 330 rows.
5. Shoulder shaping. Cast off 9 sts at beginning of next 6 rows. COR.
6. Total 336 rows with 76 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 266 rows total, with 130 sts remaining.
4. Shape neck. COR. Thread center 26 sts to WY. 52 sts each side.
5. Right neck. LH needles in HP. Continue armhole shaping until 46 rows worked from beginning of armhole. AT THE SAME TIME, Dec 1 st at neck edge every row 12 times, then dec 1 st at neck edge every other row 13 times, until 27 sts remain. Then work 26 row(s) even. Total 330 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 74 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 30 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 7th row 19 times, then every 8th row 5 times to 122 sts (173 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 10 sts at beg of next two rows (102 sts rem). Dec 1 st at each end of every 2nd row 14 times, then dec 1 st at each end of every 3rd row 6 times, then dec 1 st at each end of every 2nd row 13 times. Total 254 rows. COR. Cast off remaining 36 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 216 needles to HP.
2. With RIGHT side of work facing, rehang 76 sts from back neck holder, 57 sts from left front neck edge, 26 sts from front neck holder and 57 sts from right front neck edge. COR with TD3.
3. Work 150 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 49.9	Armhole: 18.3	Top Neck Opening: 9.9
		Front Neck Width: 3.3
	Sleeve Top: 15.5	Front Neck Depth: 5.8
Hem Width: 49.9	Sleeve Bottom: 9.1	
Back Width: 16.5	Sleeve Length: 17.2	
Body Length: 29.3	Hem Length: 2.3	Collar Length: 13.5
Hem Length: 2.7		

NOTE: At most, 202 needles are required to make the body of this garment; but the collar/hood needs 224 needles.

**BACK:**

1. Cast on 202 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 40 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 220 rows. COR.
3. Armhole shaping. Cast off 11 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 46 rows. Total 268 rows with 134 sts remaining.
4. Work a further 62 rows even. COR. Total 330 rows.
5. Shoulder shaping. Cast off 9 sts at beginning of next 6 rows. COR.
6. Total 336 rows with 80 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 266 rows total, with 134 sts remaining.
4. Shape neck. COR. Thread center 26 sts to WY. 54 sts each side.
5. Right neck. LH needles in HP. Continue armhole shaping until 48 rows worked from beginning of armhole. AT THE SAME TIME, Dec 1 st at neck edge every row 13 times, then dec 1 st at neck edge every other row 14 times, until 27 sts remain. Then work 23 row(s) even. Total 330 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 74 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 6th row 8 times, then every 7th row 18 times to 126 sts (174 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 11 sts at beg of next two rows (104 sts rem). Dec 1 st at each end of every 2nd row 14 times, then dec 1 st at each end of every 3rd row 6 times, then dec 1 st at each end of every 2nd row 14 times. Total 256 rows. COR. Cast off remaining 36 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 224 needles to HP.
2. With RIGHT side of work facing, rehang 80 sts from back neck holder, 59 sts from left front neck edge, 26 sts from front neck holder and 59 sts from right front neck edge. COR with TD3.
3. Work 162 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 52.0	Armhole: 18.5	Top Neck Opening: 10.2
		Front Neck Width: 3.4
	Sleeve Top: 15.9	Front Neck Depth: 5.9
Hem Width: 52.0	Sleeve Bottom: 9.3	
Back Width: 17.0	Sleeve Length: 17.2	
Body Length: 29.6	Hem Length: 2.3	Collar Length: 13.5
Hem Length: 2.7		

NOTE: At most, 210 needles are required to make the body of this garment; but the collar/hood needs 230 needles.

**BACK:**

1. Cast on 210 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 40 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 222 rows. COR.
3. Armhole shaping. Cast off 11 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 50 rows. Total 274 rows with 138 sts remaining.
4. Work a further 60 rows even. COR. Total 334 rows.
5. Shoulder shaping. Cast off 9 sts at beginning of next 4 rows. Cast off 10 sts at beginning of following 2 rows. COR.
6. Total 340 rows with 82 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 268 rows total, with 142 sts remaining.
4. Shape neck. COR. Thread center 28 sts to WY. 57 sts each side.
5. Right neck. LH needles in HP. Continue armhole shaping until 52 rows worked from beginning of armhole. AT THE SAME TIME, Dec 1 st at neck edge every row 13 times, then dec 1 st at neck edge every other row 14 times, until 28 sts remain. Then work 25 row(s) even. Total 334 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 76 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 6th row 15 times, then every 7th row 12 times to 130 sts (174 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 11 sts at beg of next two rows (108 sts rem). Dec 1 st at each end of every 2nd row 16 times, then dec 1 st at each end of every 3rd row 4 times, then dec 1 st at each end of every 2nd row 15 times. Total 256 rows. COR. Cast off remaining 38 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 230 needles to HP.
2. With RIGHT side of work facing, rehang 82 sts from back neck holder, 60 sts from left front neck edge, 28 sts from front neck holder and 60 sts from right front neck edge. COR with TD3.
3. Work 162 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 54.1	Armhole: 18.7	Top Neck Opening: 10.5
		Front Neck Width: 3.5
	Sleeve Top: 16.6	Front Neck Depth: 5.9
Hem Width: 54.1	Sleeve Bottom: 9.5	
Back Width: 17.5	Sleeve Length: 17.2	
Body Length: 29.6	Hem Length: 2.3	Collar Length: 13.5
Hem Length: 2.7		

NOTE: At most, 218 needles are required to make the body of this garment; but the collar/hood needs 234 needles.

**BACK:**

1. Cast on 218 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 40 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 220 rows. COR.
3. Armhole shaping. Cast off 12 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 52 rows. Total 274 rows with 142 sts remaining.
4. Work a further 60 rows even. COR. Total 334 rows.
5. Shoulder shaping. Cast off 9 sts at beginning of next 2 rows. Cast off 10 sts at beginning of following 4 rows. COR.
6. Total 340 rows with 84 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 268 rows total, with 146 sts remaining.
4. Shape neck. COR. Thread center 28 sts to WY. 59 sts each side.
5. Right neck. LH needles in HP. Continue armhole shaping until 54 rows worked from beginning of armhole. AT THE SAME TIME, Dec 1 st at neck edge every row 14 times, then dec 1 st at neck edge every other row 14 times, until 29 sts remain. Then work 24 row(s) even. Total 334 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 78 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 6th row 22 times, then every 7th row 6 times to 134 sts (174 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 12 sts at beg of next two rows (110 sts rem). Dec 1 st at each end of every 2nd row 16 times, then dec 1 st at each end of every 3rd row 4 times, then dec 1 st at each end of every 2nd row 16 times. Total 258 rows. COR. Cast off remaining 38 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 234 needles to HP.
2. With RIGHT side of work facing, rehang 84 sts from back neck holder, 61 sts from left front neck edge, 28 sts from front neck holder and 61 sts from right front neck edge. COR with TD3.
3. Work 162 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 56.1	Armhole: 19.0	Top Neck Opening: 10.8
		Front Neck Width: 3.6
	Sleeve Top: 17.1	Front Neck Depth: 6.0
Hem Width: 56.1	Sleeve Bottom: 9.6	
Back Width: 18.0	Sleeve Length: 17.2	
Body Length: 29.7	Hem Length: 2.3	Collar Length: 13.5
Hem Length: 2.7		

NOTE: At most, 226 needles are required to make the body of this garment; but the collar/hood needs 238 needles.

**BACK:**

1. Cast on 226 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 40 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 222 rows. COR.
3. Armhole shaping. Cast off 12 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 56 rows. Total 280 rows with 146 sts remaining.
4. Work a further 56 rows even. COR. Total 336 rows.
5. Shoulder shaping. Cast off 10 sts at beginning of next 6 rows. COR.
6. Total 342 rows with 86 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 270 rows total, with 154 sts remaining.
4. Shape neck. COR. Thread center 28 sts to WY. 63 sts each side.
5. Right neck. LH needles in HP. Continue armhole shaping until 58 rows worked from beginning of armhole. AT THE SAME TIME, Dec 1 st at neck edge every row 14 times, then dec 1 st at neck edge every other row 15 times, until 30 sts remain. Then work 22 row(s) even. Total 336 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 78 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 5th row 5 times, then every 6th row 25 times to 138 sts (175 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 12 sts at beg of next two rows (114 sts rem). Dec 1 st at each end of every row once, then dec 1 st at each end of every 2nd row 36 times, then dec 1 st at each end of every row once. Total 256 rows. COR. Cast off remaining 38 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 238 needles to HP.
2. With RIGHT side of work facing, rehang 86 sts from back neck holder, 62 sts from left front neck edge, 28 sts from front neck holder and 62 sts from right front neck edge. COR with TD3.
3. Work 162 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 58.2	Armhole: 19.2	Top Neck Opening: 11.1
		Front Neck Width: 3.7
	Sleeve Top: 17.6	Front Neck Depth: 6.1
Hem Width: 58.2	Sleeve Bottom: 9.7	
Back Width: 18.5	Sleeve Length: 17.2	
Body Length: 29.9	Hem Length: 2.3	Collar Length: 13.5
Hem Length: 2.7		

NOTE: At most, 234 needles are required to make the body of this garment; but the collar/hood needs 242 needles.

**BACK:**

1. Cast on 234 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 40 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 222 rows. COR.
3. Armhole shaping. Cast off 12 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 60 rows. Total 284 rows with 150 sts remaining.
4. Work a further 54 rows even. COR. Total 338 rows.
5. Shoulder shaping. Cast off 10 sts at beginning of next 4 rows. Cast off 11 sts at beginning of following 2 rows. COR.
6. Total 344 rows with 88 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 270 rows total, with 162 sts remaining.
4. Shape neck. COR. Thread center 30 sts to WY. 66 sts each side.
5. Right neck. LH needles in HP. Continue armhole shaping until 62 rows worked from beginning of armhole. AT THE SAME TIME, Dec 1 st at neck edge every row 14 times, then dec 1 st at neck edge every other row 15 times, until 31 sts remain. Then work 24 row(s) even. Total 338 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 80 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 5th row 11 times, then every 6th row 20 times to 142 sts (175 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 12 sts at beg of next two rows (118 sts rem). Dec 1 st at each end of every row 3 times, then dec 1 st at each end of every 2nd row 34 times, then dec 1 st at each end of every row 3 times. Total 256 rows. COR. Cast off remaining 38 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 242 needles to HP.
2. With RIGHT side of work facing, rehang 88 sts from back neck holder, 62 sts from left front neck edge, 30 sts from front neck holder and 62 sts from right front neck edge. COR with TD3.
3. Work 162 rows. Cast off very loosely.

**FINISHED DIMENSIONS: (ins): ... with Moderate fit.**

Chest: 59.2	Armhole: 19.6	Top Neck Opening: 11.4
		Front Neck Width: 3.8
	Sleeve Top: 18.2	Front Neck Depth: 6.2
Hem Width: 59.2	Sleeve Bottom: 9.9	
Back Width: 19.0	Sleeve Length: 17.2	
Body Length: 29.9	Hem Length: 2.3	Collar Length: 13.5
Hem Length: 2.7		

NOTE: At most, 238 needles are required to make the body of this garment; but the collar/hood needs 250 needles.

**BACK:**

1. Cast on 238 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 40 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000. Work 220 rows. COR.
3. Armhole shaping. Cast off 13 sts at beginning of next 2 rows. COR. Dec 1 st at each end of every alternate row for 58 rows. Total 280 rows with 154 sts remaining.
4. Work a further 58 rows even. COR. Total 338 rows.
5. Shoulder shaping. Cast off 10 sts at beginning of next 4 rows. Cast off 11 sts at beginning of following 2 rows. COR.
6. Total 344 rows with 92 sts remaining for back of neck. Place sts on holder.

**FRONT:**

- 1-2 Follow steps 1 and 2 as for back. COR.
3. Armhole. Dec for armhole at both ends, as for back. Continue until 268 rows total, with 164 sts remaining.
4. Shape neck. COR. Thread center 30 sts to WY. 67 sts each side.
5. Right neck. LH needles in HP. Continue armhole shaping until 60 rows worked from beginning of armhole. AT THE SAME TIME, Dec 1 st at neck edge every row 15 times, then dec 1 st at neck edge every other row 16 times, until 31 sts remain. Then work 23 row(s) even. Total 338 rows.
6. Shoulder shaping. Cast off as for back.
7. Left neck. COL. Work as for right neck, reversing shapings.

**SLEEVES:**

1. Cast on 82 sts in WY, using TD2 and open edge method. Work 6 rows, ending COR. Change to MY. Work even for 34 rows. You may wish to work a turn or picot row halfway. To complete the hem, graft the cast-on sts to the last row worked.
2. Change to TD3 and Stocking stitch, RC000.
3. Inc 1 st at each end of every 5th row 23 times, then every 6th row 10 times to 148 sts (175 rows total).
4. Work even to total 180 rows. COR.
5. Shape cap. Cast off 13 sts at beg of next two rows (122 sts rem). Dec 1 st at each end of every row 4 times, then dec 1 st at each end of every 2nd row 33 times, then dec 1 st at each end of every row 4 times. Total 256 rows. COR. Cast off remaining 40 sts loosely.

**LEFT SHOULDER SEAM:**

1. Sew front to back along left shoulder seam.

**SCOOP FRONT NECK COWL COLLAR:**

--- *The instructions below are for a fairly loose collar that will roll naturally. Working to a tighter gauge will give a collar with a closer fit. Likewise, a looser gauge will give a looser fit. Optionally, the collar may be worked in any ribbing, pattern, or garter stitch, instead of stocking stitch.*

--- *The collar is worked in one piece, on the garment, with a seam on the left side. When finished, and rolled down, the right side will be showing.*

1. Bring out 250 needles to HP.
2. With RIGHT side of work facing, rehang 92 sts from back neck holder, 64 sts from left front neck edge, 30 sts from front neck holder and 64 sts from right front neck edge. COR with TD3.
3. Work 162 rows. Cast off very loosely.